



# **Implementation Guide Rail Carrier Shipment Information**

## **EDI 404**

**Carload Bill of Lading  
USA to Canada  
General Merchandise and  
Dangerous Goods**

**Version 8050**

## **Connection to CN**

---

CN has a secure MFT server <https://mftedi.cn.ca/> or we can push to an FTP server if you require. CN also connects with all major VAN's (Value Added Networks) and interconnects can be made available.

## **CN Contact**

---

The **EDI Onboarding** email address is EDIMGR@cn.ca. You can also visit us at [www.cn.ca](http://www.cn.ca).

**Canadian National Railway - Electronic Commerce  
Basic EDI 404 (Rail Bill of Lading) Requirements**

The enclosed documentation covers information required to handle carload traffic for both general merchandise and hazardous material from a United States origin to a Canadian destination.

## Canadian National Railway - Electronic Commerce USA to Canada EDI 404 (Rail Bill of Lading) Requirements

CN recommends EDI shippers to be within 2 versions of the current EDI Standard X12 Standard  
Version/Release 8050/RAIL

Sample EDI Transmission with required data for the 404 Transaction Set on traffic of general  
merchandise from a domestic United States origin to a Canadian destination.

**EDI 404 with mandatory transborder data highlighted in bold red.**

ISA\*00\*            \*00\*            \*ZZ\*GENERIC            \*02\*CN  
\*250118\*1339\*U\*00805\*006298413\*0\*P\*>  
GS\*SR\*GENERIC\*CN\*20250118\*1336\*98826\*X\*008050  
ST\*404\*988260001  
BX\*00\*R\*PP\*1257\*CN\*L\*B\*N  
BNX\*S\*\*S  
M3\*R\*20250118\*1336\*ET  
N9\*BM\*1257\*\*20250118\*1336  
**N9\*HS\*481013**  
**N9\*ITN\*20020421123456**  
**N9\*CEN\*NOEEI 30.36**  
**N7\*CN\*123456\*213360\*N\*\*\*\*\*RR**  
**M7\*12345**  
F9\*\*LEMONT\*IL  
D9\*\*EDMONTON\*AB  
N1\*SH\*GENERIC CARLOAD INC  
N3\*123 MAIN ROAD  
N4\*LEMONT\*IL\*12345\*US  
PER\*IC\*CONTACT NAME\*TE\*123-123-1234\*EM\*JOHNDOE@GENCAR.COM  
N1\*CN\*GENERIC CONSIGNEE CO  
N3\*12 SMITH STREET  
N4\*EDMONTON\*AB\*T5G 3E4\*CA  
N1\*PF\*FREIGHT INVOICE PAYOR  
N3\*12 SMITH STREET  
N4\*EDMONTON\*AB\*T5G 3E4\*CA  
**N1\*XQ\*CANADIAN BROKER CO**  
**N3\*12 NORTH ST**  
**N4\*FORT FRANCES\*ON\*R2T1U4\*CA**  
**R2\*CN\*S**  
LX\*1  
**L5\*1\*PRINTING PAPER\*2621345\*T**  
**L0\*1\*\*\*213360\*N\*\*\*24\*ROL**  
MEA\*AI\*VOL\*250.6041\*CR\*\*\*15  
MEA\*\*VWT\*0.7167\*KC\*\*\*15  
SE\*36\*988260001  
GE\*1\*98826  
IEA\*1\*006298413

## **Customs Disclosure**

Because this is an international shipment, two requirements need to be met:

1. US export requirements
2. Canadian Import requirements

## **US Export Requirements**

All export shipments from the US must have one of the following three numbers:

- Automated Export System (AES) Internal Transaction Number (ITN)
- AES Export Information Code Exemption Number
- AES Post Departure Filer number

## **Canadian Import Requirements**

All imported shipments into Canada must have:

- Canadian Broker, who will clear the shipment.
- Country of Origin
- Product Harmonized Code

## ISA Segment: Interchange Control Header

ISA\*00\*      \*00\*      \*ZZ\*GENERIC      \*02\*CN      \*250118\*1339\*U\*00805\*006298413\*0\*P\*>

Ref. Des.	Name	Data Element	Attributes
ISA01	Authorization Information Qualifier	I01	ID 2/2
ISA02	Authorization Information (Ten spaces)	I02	AN 10/10
ISA03	Security Information Qualifier	I03	ID 2/2
ISA04	Security Information (Ten spaces)	I04	AN 10/10
ISA05	Interchange ID Qualifier	I05	ID 2/2
ISA06	Interchange Sender ID (GENERIC - fill out field with spaces)	I06	AN 15/15
ISA07	Interchange ID Qualifier (If RR SCAC use 02)	I05	ID 2/2
ISA08	Interchange Receiver ID (CN - fill out field with spaces)	I07	AN 15/15
ISA09	Interchange Date (YYMMDD)	I08	DT 6/6
ISA10	Interchange Time (HHMM)	I09	TM 4/4
ISA11	Repetition Separator (Suggest “^”)	I65	1/1
ISA12	Interchange Control Version Number (Value 00803)	I11	ID 5/5
ISA13	Interchange Control Number (a control number assigned by sender)	I12	N0 9/9
ISA14	Acknowledgment Requested (0 = none requested) (1 = requested)	I13	ID 1/1
ISA15	Usage Indicator (P = Production) (T = Test)	I14	ID 1/1
ISA16	Component Element Separator (Suggest “:”)	I15	1/1

**GS Segment: Functional Group Header**

**GS\*SR\*GENERIC\*CN\*20250118\*1336\*98826\*X\*008050**

Ref. Des.	Name	Data Element	Attributes	
GS01	Functional Identifier Code (SR = Rail Carrier Shipment Information)	479	ID	2/2
GS02	Application Sender's Code (Customer's sender ID)	142	AN	2/15
GS03	Application Receiver's Code (CN = Canadian National)	124	AN	2/15
GS04	Date (YYYYMMDD)	373	DT	8/8
GS05	Time (HHMMSS)	337	TM	4/8
GS06	Group Control Number (Assigned number originated and maintained by the sender)	28	N0	1/9
GS07	Responsible Agency Code (X = Accredited Standards Committee X12)	455	ID	1/2
GS08	Version / Release / Industry Identity	480	AN	1/12

**ST Segment: Transaction Set Header**

To indicate the start of a transaction set and to assign a control number.

**ST\*404\*988260001**

Ref. Des.	Name	Data Element	Attributes	
ST01	Transaction Set Identifier Code (404 = Rail Carrier Shipment Information (Bill of Lading))	143	ID	3/3
ST02	Transaction Set Control Number (Sequential control number generated by Customer)	329	AN	4/9

**BX Segment: General Shipment Information**

**BX\*00\*R\*PP\*1257\*CN\*L\*B\*N**

Ref. Des.	Name	Data Element	Attributes
BX01	Transaction Set Purpose Code (00=Original)	353	ID 2/2
BX02	Transportation Method/Type Code (R=Rail)	91	ID 1/2
BX03	Shipment Method of Payment (PP=Prepaid)	146	ID 2/2
BX04	Shipment Identification Number	145	AN 1/30
BX05	Standard Carrier Alpha Code (CN=CN Rail)	140	ID 2/4
BX06	Weight Unit Code (L=Pounds)	188	ID 1/1
BX07	Shipment Qualifier (B=Bill of Lading for Individual Shipment)	147	ID 1/1
BX08	Section Seven Code (N=not in effect)	226	ID 1/1

**BNX Segment: Rail Shipment Information**

**BNX\*S\*\*S**

Ref. Des.	Name	Data Element	Attributes
BNX01	Shipment Weight Code (S = Shipper Certified Scale Weight)	460	ID 1/1
BNX03	Billing Code (S = Single Shipment Billing)	11	ID 1/1



**M3 Segment: Release**

Indicates whether shipment is to be released for movement when the transmission is received or will be released at a future time.

**M3\*R\*20250118\*1336\*ET**

Ref. Des.	Name	Data Element	Attributes	
M301	Release Code (R = Release with Shipment Information)	132	ID	1/1
M302	Release Date (CCYYMMDD)	373	DT	8/8
M303	Release Time (HHMM, 24-hour clock 0001-2359 or HHMMSS or HHMMSSD or HHMMSSDD H=hours 00-23 M=minutes 00-59 S=seconds 00-59 DD=decimal seconds in tenths and hundredths 00-99)	337	TM	4/8
M304	Time Code (ET = eastern time)	623	ID	2/2

**N9 Segment: Reference Number**

Allows Reference Numbers to be sent to CN. At least one N9 containing a Bill of Lading number must be included. This number will be included on all other documents such as Freight Invoice and Remittance/Payment.

**N9\*BM\*1257\*\*20250118\*1336**

**N9\*HS\*481013**

**N9\*ITN\*20020421123456**

**N9\*CEN\*NOEEI 30.36**

Ref. Des.	Name	Data Element	Attributes	
N901	Reference Number Qualifier (BM = Bill of Lading number) (HS = product harmonized code) (ITN=Census Internal Transaction number) (CEN=US Census Exemption number)	128	ID	2/3
N902	Reference Number (Max 15 characters for B/L # (BM))	127	AN	1/30
N904	Date (CCYYMMDD, required for B/L (BM))	373	DT	8/8
N905	Time	337	TM	4/8

(HHMM, 24-hour clock 0001-2359 or  
 HHMMSS or HHMMSSD or HHMMSSDD  
 H=hours 00-23 M=minutes 00-59 S=seconds 00-59  
 DD=decimal seconds in tenths and hundredths 00-99)

**N7 Segment: Equipment Details**

**N7\*CN\*123456\*213360\*N\*\*\*\*\*RR**

Ref. Des.	Name	Data Element	Attributes	
N701	Equipment Initial	206	AN	2/4
N702	Equipment Number	207	AN	1/15
N703	Weight	81	R	1/8
N704	Weight Qualifier (N = Net Weight)	187	ID	1/2
N711	Equipment Description Code (RR = Railcar)	40	ID	2/2

**M7 Segment: Seal Numbers**

**M7\*12345**

Ref. Des.	Name	Data Element	Attributes	
M701	Seal Number	225	AN	2/15

**F9 Segment: Origin**

Indicates the origin of the shipment, the point from which it is shipped. The spelling should be in accordance with that listed in the Standard Point Location Code (SPLC) standard available from the National Motor Freight Tariff Association (USA) or the National Transportation Agency (Canada). CN can provide spellings for your stations.

**F9\*\*LEMONT\*IL**

Ref. Des.	Name	Data Element	Attributes	
F902	Origin Station	19	AN	2/19
F903	State or Province Code	156	ID	2/2

**D9 Segment: Destination**

Indicates the destination of the shipment, the point at which it will be unloaded or where the transportation responsibility reverts to the consignee. The spelling should be in accordance with that listed in the Standard Point Location Code (SPLC) standard available from the National Motor Freight Tariff Association (USA) or the National Transportation Agency (Canada). CN can provide spellings for your stations.

**D9\*\*EDMONTON\*AB**

Ref. Des.	Name	Data Element	Attributes
D902	Destination Station	19	AN 2/19
D903	State or Province Code	156	ID 2/2

**N1 Segment: Name**

Associated to the N3 and N4 segments below. N1, N3 and N4 segments are repeated for the Consignee and any other Additional Parties to the shipment.

**N1\*SH\*GENERIC CARLOAD INC**  
**N3\*123 MAIN ROAD**  
**N4\*LEMONT\*IL\*12345\*US**  
**N1\*CN\*GENERIC CONSIGNEE CO**  
**N3\*12 SMITH STREET**  
**N4\*EDMONTON\*AB\*T5G 3E4\*CA**  
**N1\*PF\*FREIGHT INVOICE PAYOR**  
**N3\*12 SMITH STREET**  
**N4\*EDMONTON\*AB\*T5G 3E4\*CA**  
**N1\*XQ\*CANADIAN BROKER CO**  
**N3\*12 NORTH ST**  
**N4\*FORT FRANCES\*ON\*R2T1U4\*CA**

Ref. Des.	Name	Data Element	Attributes
N101	Entity Identifier Code (SH = Shipper) (CN = Consignee) (PF = Payer of Freight) (XQ=Canadian customs broker)	98	ID 2/3
N102	Name	93	AN 1/35

**N3 Segment: Address**

Ref. Des.	Name	Data Element	Attributes
N301	Address Information	166	AN 1/30

**N4 Segment: City**

Ref. Des.	Name	Data Element	Attributes
N401	City Name	19	AN 2/30
N402	State or Province Code	156	ID 2/2
N403	Postal Code	116	ID 3/15
N404	Country Code	26	ID 2/3

*\*\*For North American countries, use the ISO-3166 Alpha-2 character code.*

**PER Segment: Administrative Communications Contact**

**PER\*IC\*CONTACT NAME\*TE\*123-123-1234\*EM\*JOHNDOE@GENCAR.COM**

Ref. Des.	Name	Data Element	Attributes
PER01	Contact function code (IC = Information contact)	366	ID 2/2
PER02	Name	93	AN 1/35
PER03	Communication number qualifier (TE=telephone)	365	ID 2/2
PER04	Communication number	364	AN 1/80
PER05	Communication number qualifier (EM=email address)	365	ID 2/2
PER06	Communication number	364	AN 1/80

**Note: Information Contact (IC) information is required for the Shipper (N101=SH) to provide contact for the person submitting the EDI404, and must include both a telephone number (TE) and an email address (EM)**

**The value entered in the PER02/03 should be the preferred method of contact.**

**R2 Segment: Route Information**

One R2 segment for each railroad in the route. CN can provide route information for your shipments (i.e.: Railroad SCAC's and junctions).

**R2\*CN\*S**

Ref. Des.	Name	Data Element	Attributes
R201	Standard Carrier Alpha Code (SCAC)	140	ID 2/4
R202	Routing Sequence Code (S = Origin Carrier, Shipper's Routing (Rail))	133	ID 1/2
R203	Junction Name (Contains R260 junction)	19	AN 2/30

**\*\*When multiple iterations of the R2 segment are present, the R203 is required on each, except for the final.**

**LX Segment: Assigned Number**

**LX\*1**

Ref. Des.	Name	Data Element	Attributes
LX01	Assigned Number (Number assigned for differentiation within a transaction set)	554	N0 1/6

**L5 Segment: Commodity Description**

CN can provide Standard Transportation Commodity Codes (STCC) for your commodities. The commodity code is required only on the first L5 segment. Additional L5 segments can be used to provide additional description of lading.

**L5\*1\*PRINTING PAPER\*2621345\*T**

Ref. Des.	Name	Data Element	Attributes
L501	Line Number	213	N0 1/6
L502	Commodity Description	79	AN 1/50
L503	Commodity Code	22	AN 1/30

(7 digit Standard Transportation Commodity Code (STCC))

L504 Commodity Code Qualifier 23 ID 1/1  
(T = Standard Transportation Commodity Code (STCC))

**L0 Segment: Line Item, Quantity and Weight**

**L0\*1\*\*\*213360\*N\*\*\*24\*ROL**

Ref. Des.	Name	Data Element	Attributes
L001	Lading Line Item Number	213	N0 1/6
L004	Weight	81	R 1/8
L005	Weight Qualifier (N = Net Weight)	187	ID 1/2
L008	Lading Quantity	80	N0 1/5
L009	Packaging Form Code (ROL=rolls)	211	ID 3/3

**MEA Segment: Measurements**

To specify physical measurements or counts, including dimensions, tolerances, variances, and weights.

**MEA\*AI\*VOL\*250.6041\*CR\*\*\*15**  
**MEA\*\*VWT\*0.7167\*KC\*\*\*15**

Ref. Des.	Name	Data Element	Attributes
MEA01	Measurement Reference ID Code (AI = Net Compliance Total)	737	ID 2/2
MEA02	Measurement Qualifier (VOL = volume) (VWT = volume weight)	738	ID 1/3
MEA03	Measurement Value	739	R 1/28
MEA04	Unit or Basis for measurement code (CR = cubic meters) (KC = kilograms per cubic meter)	355	ID 2/2
MEA07	Measurement significance code (15 = Standard temperature and pressure)	935	ID 2/2

**SE Segment: Transaction Set Trailer**

**SE\*36\*988260001**

Ref. Des.	Name	Data Element	Attributes	
SE01	Number of Included Segments (Includes ST and SE segments)	96	N0	1/10
SE02	Transaction Set Control Number (Repeated from ST segment ST02)	329	AN	4/9

**GE Segment: Functional Group Trailer**

**GE\*1\*98826**

Ref. Des.	Name	Data Element	Attributes	
GE01	Number of Transaction Sets Included	97	N0	1/6
GE02	Group Control Number (Repeated from GS segment GS06)	28	N0	1/9

**IEA Segment: Interchange Control Trailer**

**IEA\*1\*006298413**

Ref. Des.	Name	Data Element	Attributes	
IEA01	Number of included Functional Groups	I16	N0	1/5
IEA02	Interchange Control Number (Same number as ISA13)	I12	N0	9/9

## **Reciprocity of documentation**

In general, regulated commodities in the US are also regulated in Canada and vice versa. Most of these commodities can ship under the documentation requirements of the origin country. There are, however, exceptions. As a shipper you are responsible for ensuring that your shipment is documented under the requirements of CFR49 (US regulations) and Transportation of Dangerous Goods (TDG) regulations (Canada).

Notable exceptions are Asphalt (regulated in US), Poison Inhalation Hazard (requires Canadian documentation), Waste products, and Emergency Response Plan information.

CN has an expert team who can help you if you have specific questions about how to document your shipment.

Additional items required for regulated shipments:

1. All telephone numbers must be available in Canada, or a Canadian number must be provided.
2. Emergency Response Plan numbers and activation phone numbers (valid in Canadian locations)

## **Customs Disclosure**

Because this is an international shipment, two requirements need to be met:

3. US export requirements
4. Canadian Import requirements

## **US Export Requirements**

All export shipments from the US must have one of the following three numbers:

- Automated Export System (AES) Internal Transaction Number (ITN)
- AES Export Information Code Exemption Number
- AES Post Departure Filer number

## **Canadian Import Requirements**

All imported shipments into Canada must have:

- Canadian Broker, who will clear the shipment.
- Country of Origin
- Product Harmonized Code



**Canadian National Railway - Electronic Commerce  
Hazardous USA to Canada EDI 404 (Rail Bill of Lading) Requirements**

CN is currently using the X12 Standard Version/Release 8050/RAIL

Sample EDI Transmission with required data for the 404 Transaction Set on traffic of hazardous material from a domestic United States origin to a Canadian destination.

**EDI 404 with mandatory transborder data highlighted in bold red.**

ISA\*00\*        \*00\*        \*ZZ\*GENERIC        \*02\*CN        \*250118\*1454\*U\*00805\*000054913\*0\*P\*^  
GS\*SR\*GENERIC\*CN\*20250118\*1454\*0092\*X\*008050  
ST\*404\*00920001  
BX\*00\*R\*PP\*\*CN\*L\*B\*N  
BNX\*S\*\*S  
M3\*R\*20250118\*1336\*ET  
N9\*BM\*1257\*\*20250118\*1336  
**N9\*HS\*280610**  
**N9\*ITN\*20020421123456**  
**N9\*CEN\*NOEEI 30.36**  
**N7\*CGTX\*12345\*213360\*N\*\*\*\*\*RR**  
**M7\*12345**  
F9\*\*LEMONT\*IL  
D9\*\*EDMONTON\*AB  
N1\*SH\*GENERIC CARLOAD INC  
N3\*123 MAIN ROAD  
N4\*LEMONT\*IL\*12345\*US  
PER\*IC\*JOHN DOE\*TE\*1231231234\*EM\*JOHNDOE@GENCAR.COM  
N1\*CN\*GENERIC CONSIGNEE CO  
N3\*12 SMITH STREET  
N4\*EDMONTON\*AB\*T5G 3E4\*CA  
N1\*PF\*FREIGHT INVOICE PAYOR  
N3\*12 SMITH STREET  
N4\*EDMONTON\*AB\*T5G 3E4\*CA  
**N1\*XQ\*CANADIAN BROKER CO**  
**N3\*12 NORTH ST**  
**N4\*FORT FRANCES\*ON\*R2T1U4\*CA**  
R2\*CN\*S  
LX\*1  
**L5\*1\*HYDROCHLORIC ACID\*4930228\*T**  
**L0\*1\*\*\*213360\*N\*\*\*1\*TKR**  
MEA\*AI\*VOL\*250.6041\*CR\*\*\*15  
MEA\*\*VWT\*0.7167\*KC\*\*\*15  
**X1\*\*\*\*\*US\*\*I\*1\*24000\*\*1P**  
LS\*LH1  
**LH1\*TK\*1\*UN1789\*\*491404\*LB\*213360\*\*\*II**  
**LH2\*8\*P**  
**LH3\*HYDROCHLORIC ACID\*D**  
**LFH\*HZC\*(HYDROCHLORIC ACID)**  
**LH4\*\*\*II**  
LE\*LH1  
PER\*HM\*offeror company name or contract number\*TE\*123-123-1234  
PER\*CN\*offeror company name or contract number\*TE\*321-321-4321

**LH6\*JOHN DOE**  
**SE\*47\*00920001**  
**GE\*1\*0092**  
**IEA\*1\*000054913**

**BX Segment: General Shipment Information**

Indicates the purpose, payment method, carrier, and other information that applies to this transaction.

**BX\*00\*R\*PP\*1257\*CN\*L\*B\*N**

Ref. Des.	Name	Data Element	Attributes
BX01	Transaction Set Purpose Code (00=Original)	353	ID 2/2
BX02	Transportation Method/Type Code (R=Rail)	91	ID 1/2
BX03	Shipment Method of Payment (PP=Prepaid)	146	ID 2/2
BX05	Standard Carrier Alpha Code (CN=CN Rail)	140	ID 2/4
BX06	Weight Unit Code (L=Pounds)	188	ID 1/1
BX07	Shipment Qualifier (B=Bill of Lading for Individual Shipment)	147	ID 1/1
BX08	Section Seven Code (N=not in effect)	226	ID 1/1

**BNX Segment: Rail Shipment Information**

Identifies the weight requirements and the type of shipment.

**BNX\*R\*\*S**

Ref. Des.	Name	Data Element	Attributes
BNX01	Shipment Weight Code (S = Shipper Certified Scale Weight)	460	ID 1/1
BNX03	Billing Code (S = Single Shipment Billing)	11	ID 1/1

**M3 Segment: Release**

Indicates whether shipment is to be released for movement when the transmission is received or will be released at a future time.

**M3\*R\*20250118\*1336**

Ref. Des.	Name	Data Element	Attributes	
M301	Release Code (R = Release with Shipment Information)	132	ID	1/1
M302	Release Date (CCYYMMDD)	373	DT	8/8
M303	Release Time (HHMM, 24-hour clock 0001-2359 or HHMMSS or HHMMSSD or HHMMSSDD H=hours 00-23 M=minutes 00-59 S=seconds 00-59 DD=decimal seconds in tenths and hundredths 00-99)	337	TM	4/8

**N9 Segment: Reference Number**

Allows Reference Numbers to be sent to CN. At least one N9 containing a Bill of Lading number must be included. This number will be included on all other documents such as Freight Invoice and Remittance/Payment.

**N9\*BM\*1257\*\*20250118\*1336**

**N9\*HS\*280610**

**N9\*ITN\*20020421123456**

**N9\*CEN\*NOEEI 30.36**

Ref. Des.	Name	Data Element	Attributes	
N901	Reference Number Qualifier (BM = Bill of Lading number) (HS = product harmonized code) (ITN=Census Internal Transaction number) (CEN=US Census Exemption number)	128	ID	2/3
N902	Reference Number (Max 15 characters for B/L # (BM))	127	AN	1/30
N904	Date (CCYYMMDD, required for B/L (BM))	373	DT	8/8
N905	Time (HHMM, 24-hour clock 0001-2359 or	337	TM	4/8

HHMMSS or HHMMSSD or HHMMSSDD  
H=hours 00-23 M=minutes 00-59 S=seconds 00-59  
DD=decimal seconds in tenths and hundredths 00-99)

**N7 Segment: Equipment Details**

**N7\*CGTX\*12345\*213360\*N\*\*\*\*\*RR**

Ref. Des.	Name	Data Element	Attributes	
N701	Equipment Initial	206	AN	2/4
N702	Equipment Number	207	AN	1/15
N703	Weight	81	R	1/8
N704	Weight Qualifier (N = Net Weight)	187	ID	1/2
N711	Equipment Description Code (RR = Railcar }	40	ID	2/2

**M7 Segment: Seal Numbers**

**M7\*12345**

Ref. Des.	Name	Data Element	Attributes	
M701	Seal Number	225	AN	2/15

**F9 Segment: Origin**

Indicates the origin of the shipment, the point from which it is shipped. Spelling should be in accordance with that listed in the Standard Point Location Code (SPLC) standard available from the National Motor Freight Tariff Association (USA) or the National Transportation Agency (Canada). CN can provide spellings for your stations.

**F9\*\*LEMONT\*IL**

Ref. Des.	Name	Data Element	Attributes	
F902	Origin Station	19	AN	2/19
F903	State or Province Code	156	ID	2/2

**D9 Segment: Destination**

Indicates the destination of the shipment, the point at which it will be unloaded or where the transportation responsibility reverts to the consignee. Spelling should be in accordance with that listed in the Standard Point Location Code (SPLC) standard available from the National Motor Freight Tariff Association (USA) or the National Transportation Agency (Canada). CN can provide spellings for your stations.

**D9\*\*EDMONTON\*AB**

Ref. Des.	Name	Data Element	Attributes
D902	Destination Station	19	AN 2/19
D903	State or Province Code	156	ID 2/2

**N1 Segment: Name**

Associated to the N3 and N4 segments below. N1, N3 and N4 segments are repeated for the Consignee and any other Additional Parties to the shipment.

**N1\*SH\*GENERIC CARLOAD INC  
N3\*123 MAIN ROAD  
N4\*LEMONT\*IL\*12345\*US  
N1\*CN\*GENERIC CONSIGNEE CO  
N3\*12 SMITH STREET  
N4\*EDMONTON\*AB\*T5G 3E4\*CA  
N1\*PF\*FREIGHT INVOICE PAYOR  
N3\*12 SMITH STREET  
N4\*EDMONTON\*AB\*T5G 3E4\*CA  
N1\*XQ\*CANADIAN BROKER CO  
N3\*12 NORTH ST  
N4\*FORT FRANCES\*ON\*R2T1U4\*CA**

Ref. Des.	Name	Data Element	Attributes
N101	Entity Identifier Code (SH = Shipper) (CN = Consignee) (PF = payer of freight) (XQ=Canadian Customs broker)	98	ID 2/3
N102	Name	93	AN 1/35

**N3 Segment: Address**

Ref. Des.	Name	Data Element	Attributes
N301	Address Information	166	AN 1/30

**N4 Segment: City**

Ref. Des.	Name	Data Element	Attributes
N401	City Name	19	AN 2/30
N402	State or Province Code	156	ID 2/2
N403	Postal Code	116	ID 3/15
N404	Country Code	26	ID 2/3

*\*\*For North American countries, use the ISO-3166 Alpha-2 character code.*

**PER Segment: Administrative Communications Contact**

Specifies the contact particulars of the party named in the N1 segment.

**PER\*IC\*JOHN DOE\*TE\*1231231234\*EM\*JOHNDOE@GENCON.COM**

Ref. Des.	Name	Data Element	Attributes
PER01	Contact function code (IC = Information contact)	366	ID 2/2
PER02	Name	93	AN 1/35
PER03	Communication number qualifier (TE=telephone)	365	ID 2/2
PER04	Communication number	364	AN 1/80
PER05	Communication number qualifier (EM=email address)	365	ID 2/2
PER06	Communication number	364	AN 1/80

**Note: Information Contact (IC) information is required for the Shipper (N101=SH) to provide contact for the person submitting the EDI404, and must include both a telephone number (TE) and an email address (EM)**

**The value entered in the PER02/03 should be the preferred method of contact.**

**R2 Segment: Route Information**

One R2 segment for each railroad in the route. CN can provide route information for your shipments (i.e.: Railroad SCAC's and junctions).

**R2\*CN\*S**

Ref. Des.	Name	Data Element	Attributes	
R201	Standard Carrier Alpha Code (SCAC)	140	ID	2/4
R202	Routing Sequence Code (S = Origin Carrier, Shipper's Routing (Rail))	133	ID	1/2
R203	Junction Name (Contains R260 junction)	19	AN	2/30

**\*\*When multiple iterations of the R2 segment are present, the R203 is required on each, except for the final.**

**LX Segment: Assigned Number**

**LX\*1**

Ref. Des.	Name	Data Element	Attributes	
LX01	Assigned Number (Number assigned for differentiation within a transaction set)	554	N0	1/6

**L5 Segment: Commodity Description**

CN can provide Standard Transportation Commodity Codes (STCC) for your commodities. The commodity code is required only on the first L5 segment. Additional L5 segments can be used to provide additional description of lading.

**L5\*1\*HYDROCHLORIC ACID\*4930228\*T**

Ref. Des.	Name	Data Element	Attributes	
-----------	------	--------------	------------	--

L501	Line Number	213	N0	1/6
L502	Commodity Description	79	AN	1/50
L503	Commodity Code (7 digit Standard Transportation Commodity Code (STCC))	22	AN	1/30
L504	Commodity Code Qualifier (T = Standard Transportation Commodity Code (STCC))	23	ID	1/1

**L0 Segment: Line Item, Quantity and Weight**

Provides the shipment quantity and weight.

**L0\*1\*\*\*213360\*N\*\*\*1\*TKR**

Ref. Des.	Name	Data Element	Attributes	
L001	Lading Line Item Number	213	N0	1/6
L004	Weight	81	R	1/8
L005	Weight Qualifier (N=Net Weight)	187	ID	1/2
L008	Lading Quantity	80	N0	1/5
L009	Packaging Form Code (TKR = Tank Car)	211	ID	3/3

**MEA Segment: Measurements**

To specify physical measurements or counts, including dimensions, tolerances, variances, and weights.

**MEA\*AI\*VOL\*250.6041\*CR\*\*\*15**  
**MEA\*\*VWT\*0.7167\*KC\*\*\*15**

Ref. Des.	Name	Data Element	Attributes	
MEA01	Measurement Reference ID Code (AI = Net Compliance Total)	737	ID	2/2
MEA02	Measurement Qualifier (VOL = volume) (VWT = volume weight)	738	ID	1/3
MEA03	Measurement Value	739	R	1/28
MEA04	Unit or Basis for measurement code (CR = cubic meters) (KC = kilograms per cubic meter)	355	ID	2/2
MEA07	Measurement significance code (15 = Standard temperature and pressure)	935	ID	2/2

**LS Segment: Loop Header**

Identifies the start of the Hazmat documentation loop.



**LS\*LH1**

Ref. Des.	Name	Data Element	Attributes	
LS01	Loop Identifier Code	447	AN	1/6

**LH1 Segment: Hazardous Identification Information****LH1\*TK\*1\*UN1789\*\*4930228\*LB\*213360\*\*\*II**

Ref. Des.	Name	Data Element	Attributes	
LH101	Unit or Basis for Measurement Code (TK = Tank)	355	ID	2/2
LH102	Lading Quantity	80	N0	1/5
LH103	UN or NA Identification Code	277	ID	6/6
LH105	Commodity Code (Standard Transportation Commodity Code (STCC))	22	AN	1/30
LH106	Unit or Basis for Measurement Code (LB = Pound)	355	ID	2/2
LH107	Quantity	380	R	1/15
LH110	Packing Group Code	254	ID	1/3

**LH2 Segment: Hazardous Classification Information**

Provides classification information.

**LH2\*8\*P**

Ref. Des.	Name	Data Element	Attributes	
LH201	Hazardous Classification	215	ID	1/30
LH202	Hazardous Class Qualifier (P=primary)	983	ID	1/1

**LH3 Segment: Hazardous Material Shipping Name Information**

Provides the Proper Shipping Name as required by the CFR49 regulations.

**LH3\*HYDROCHLORIC ACID\*D**

Ref. Des.	Name	Data Element	Attributes	
LH301	Hazardous Materials Shipping Name	224	AN	1/25
LH302	Hazardous Materials Shipping Name Qualifier	984	ID	1/1

(D=USA Shipping Name)

**LFH Segment: Additional Information**

Provides additional information related to the shipment of the regulated product.

**LFH\*HZC\*(HYDROCHLORIC ACID)**

Ref. Des.	Name	Data Element	Attributes
LFH01	Hazardous Material Information Qualifier (HZC= hazardous substance constituents)	808	ID 3/3
LFH02	Hazardous Material Shipment Information	809	AN 1/25
LFH03	Hazardous Material Shipment Information	809	AN 1/25

**LH4 Segment: Canadian Dangerous Requirements**

**LH4\*\*\*II**

Ref. Des.	Name	Data Element	Attributes
LH401	Emergency Plan Number	238	AN 1/12
LH402	Communication Number	364	AN 1/25
LH403	Packing Group	254	ID 1/3

**LE Segment: Loop Trailer**

Closes the LS/LH1 loop.

**LE\*LH1**

Ref. Des.	Name	Data Element	Attributes
LE01	Loop Identifier Code	447	AN 1/6

**PER Segment: Administrative Communications Contact**

**PER\*HM\*offeror company name or contract number\*TE\*123-123-1234**

**PER\*CN\*offeror company name or contract number\*TE\*321-321-4321**

Ref. Des.	Name	Data Element	Attributes
PER01	Contact Function Code (HM=primary 24-hour Hazardous Material Contact emergency phone number) (CN=Canadian Hazardous Material Contact 24-hour emergency phone number)	366	ID 2/2
PER02	Name If the emergency response telephone number shown in PER04 is an emergency provider (e.g Chemtrec), the PER02 must identify the company(offeror) by name or contract number.	93	AN 1/35
PER03	Communication Number Qualifier (TE=Telephone)	365	ID 2/2
PER04	Communication Number	364	AN 1/80

**LH6 Segment: Hazardous Certification**

Provides the name of the person who prepared, and certifies to its accuracy, the documentation of the regulated commodity as required by US Federal Regulations (49CFR 172.204) and Transport Canada regulations (TDG 3.6.1).

The certification must be made by an individual who is the consignor or by an individual acting on behalf of the consignor and must set out that individual's name.

**LH6\*JOHN DOE**

Ref. Des.	Name	Data Element	Attributes
LH601	Name	93	AN 1/60